

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	92	@ad<"20010826" and pattern and profile and track and compar\$ and (surfing or web\$usage or browsing) with (pattern or history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:19
L3	91	@ad<"20010826" and pattern and profile and track and compar\$ and (surfing or web\$usage or browsing) with (pattern or history) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:20
L4	84	@ad<"20010826" and pattern and profile and track and compar\$ and (surfing or web\$usage or browsing) with (pattern or history) and network and browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:20
L5	66	@ad<"20010826" and pattern and profile and track and compar\$ and (surfing or web\$usage or browsing) with (pattern or history) and network and browser and (state or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:21
S1	2	("20030080994").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 09:54
S2	21100424	@ad<"20010826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:44
S3	21100424	@ad<"20010826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:44
S4	90184	@ad<"20010826" and state with application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:45
S5	42001	@ad<"20010826" and state with application and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:45

S6	733	@ad<"20010826" and state with application and output and structure with definition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:42
S7	578	@ad<"20010826" and state with application and output and structure with definition and compar\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 15:44
S8	36	@ad<"20010826" and recogniz\$ near state same current with output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:12
S9	1	@ad<"20010826" and recogniz\$ near state same current with output and network with application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 15:48
S10	12954	@ad<"20010826" and state near (application or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:13
S11	3410	@ad<"20010826" and state near (application or program) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:13
S12	1369	@ad<"20010826" and state near (application or program) and network and output with (application or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:13
S13	257	@ad<"20010826" and state near (application or program) and network and output with (application or program) and compar\$ with state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:14
S14	38	@ad<"20010826" and state near (application or program) and network and output with (application or program) same compar\$ with state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:34
S15	0	@ad<"20010826" and current with output same network near (application or program) and output with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:35

S16	19	@ad<"20010826" and current with output same network near (application or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:36
S17	9	@ad<"20010826" and network near (applicant or program) near output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:37
S18	10	@ad<"20010826" and network near (applicant or program) near state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:37
S19	12	@ad<"20010826" and network near (applicant or program) near (state or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:48
S20	1034	@ad<"20010826" and recogniz\$ with state with (application or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:49
S21	126	@ad<"20010826" and recogniz\$ with state near (application or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:49
S22	224	@ad<"20010826" and (identify or recogniz\$) with state near (application or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:50
S23	13	@ad<"20010826" and (identify or recogniz\$) with state near (application or program) and output with structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:54
S24	0	@ad<"20010826" and (identify or recogniz\$) with state near (application or program) and output near structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:50
S25	1	@ad<"20010826" and state near structured with output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:54

S26	1	@ad<"20010826" and state near structured near output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:54
S27	104	((("6348956") or ("6138150") or ("5627790") or ("5360277") or ("4788458") or ("6101328") or ("6314570") or ("5732619") or ("6290566") or ("6352478") or ("4852909") or ("4507505") or ("4287217") or ("4343070") or ("4415276") or ("4446094") or ("4823282") or ("4857292") or ("5194134") or ("5301293") or ("5378537") or ("5494740") or ("5508106") or ("5699108") or ("5739030") or ("5742842") or ("5757650") or ("6183337") or ("6284277") or ("6395508") or ("6436504") or ("6462720") or ("4876730") or ("4941189") or ("5208905") or ("5752053") or ("5290123") or ("4953479") or ("5583986") or ("5943495") or ("6287765") or ("4544148") or ("5515068") or ("5673058") or ("5181162") or ("5323312") or ("5422992") or ("5483629") or ("5499329") or ("5535318").pn.)). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 09:58
S28	106	("6348956" "6138150" "5627790" "5360277" "4788458" "6101328" "6314570" "5732619" "6290566" "6352478" "4852909" "4507505" "4287217" "4343070" "4415276" "4446094" "4823282" "4857292" "5194134" "5301293" "5378537" "5494740" "5508106" "5699108" "5739030" "5742842" "5757650" "6183337" "6284277" "6395508" "6436504" "6462720" "4876730" "4941189" "5208905" "5752053" "5290123" "4953479" "5583986" "5943495" "6287765" "4544148" "5515068" "5673058" "5181162" "5323312" "5422992" "5483629" "5499329" "5535318").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:55
S29	4	("6348956").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 09:55

S30	15074	@ad<"20010826" and state near3 application and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:43
S31	1112	@ad<"20010826" and state near3 application with output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:43
S32	1112	@ad<"20010826" and state near3 application with output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:43
S33	4	@ad<"20010826" and state near3 application with output and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:43
S34	4	@ad<"20010826" and state near3 application with output and xml and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 11:33
S35	13	@ad<"20010826" and (state or status) near3 application and network and output with translate and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 12:02
S36	9	@ad<"20010826" and (xml or html) adj connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:21
S37	1	@ad<"20010826" and network and output and (state or status) and compar\$ with definition with pre\$defin\$ with (state or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 18:14
S38	18	@ad<"20010826" and network and output and (state or status) and compar\$ with definition and pre\$defin\$ with (state or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:45
S39	5912	@ad<"20010826" and network with (application or app) and output with compar\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:46

S40	1	@ad<"20010826" and network with (application or app) and output with compar\$ same pre\$defin\$ with (app or application) and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:47
S41	9	@ad<"20010826" and network with (application or app) and output with compar\$ and pre\$defin\$ with (app or application) and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:52
S42	19	@ad<"20010826" and network with (application or app) and output same compar\$ and pre\$defin\$ with (app or application) and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:55
S43	685	@ad<"20010826" and network with (application or app) same output same (status or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:56
S44	257	@ad<"20010826" and network with (application or app) with (status or state) same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:56
S45	158	@ad<"20010826" and network with (application or app) with (status or state) with output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:56
S46	32	@ad<"20010826" and network with (application or app) with (status or state) with output and pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:41
S47	86	@ad<"20010826" and network with (application or app) with output and pattern with recogniz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:41
S48	74	@ad<"20010826" and network with (application or app) with output and pattern with recogniz\$ and (status or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:42
S49	4	@ad<"20010826" and network with (application or app) with output same pattern with recogniz\$ and (status or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:41

S50	10	@ad<"20010826" and network with (application or app) with output and pattern with recogniz\$ same (status or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:21
S51	1	@ad<"20010826" and network and remote with (application or app) and output with pattern with recogniz\$ same (status or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:22
S52	17	@ad<"20010826" and network and remote with (application or app) and output and pattern with recogniz\$ same (status or state) and (pre\$record or pre\$defin\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:02
S53	1287	@ad<"20010826" and pattern near recognition and (status or state) and network with (application or app)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:02
S54	47	@ad<"20010826" and pattern near recognition and (status or state) and network with (application or app) and structur\$ with definit\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:03
S55	41	@ad<"20010826" and pattern near recognition and (status or state) and network with (application or app) and structur\$ with definit\$ and compar\$ and identif\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:10
S56	85	@ad<"20010826" and network and remote with application same output and compar\$ with state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:11
S57	106	@ad<"20010826" and network and remote with application same output and compar\$ with (state or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:11
S58	4	@ad<"20010826" and network and remote with application same output same structure and compar\$ with (state or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:12
S59	25	@ad<"20010826" and network same remote with application same output and compar\$ with (state or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:14

S60	666	@ad<"20010826" and (network or remote) with application same output and compar\$ with (state or status) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:15
S61	26	@ad<"20010826" and (network or remote) with application same output and compar\$ with (state or status) with (pre\$defin\$ or record\$) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:18
S62	95779	(network with application) or (remote with application same network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:20
S63	9529	((network with application) or (remote with application same network)) same (status or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:21
S64	6101	((network with application) or (remote with application same network)) same (status or state) and @ad<"20010825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:21
S65	22	S64 and (comparison or identif\$) same recorded with state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:22
S66	1187589	@ad<"20010826" and pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 18:16
S67	198	@ad<"20010826" and pattern and profile and xml and compar\$ same match\$ and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 18:17
S68	139	@ad<"20010826" and pattern and profile and xml and compar\$ same match\$ and network and (state or status) and monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 18:18
S69	149280	@ad<"20010826" and pattern and profile and xml and compar\$ same match\$ and network and (state or status) and monitor and pre\$recorded or pre\$define\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 18:18

S70	74	@ad<"20010826" and pattern and profile and xml and compar\$ same match\$ and network and (state or status) and monitor and (pre\$recorded or pre\$define\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:14
-----	----	---	---	----	----	------------------